

EVI

ELECTRIC VEHICLES, INC.



BUILT TO LAST




Burden Carriers



720 Series



820 Series



920 Series

Personnel Carriers



Transport
P220




Transport
P240



Stockchaser
SC-324



Chariot
P120



Utility Cart
898A



Wheelchair Accessible Cart
898A



Trams, 6-11 passenger
800 & 1200



Fold-Down Seat Tram
4 passengers, 820A or 820B



Ambulance
820A


Industrial Applications



Mobile Lube Truck
820D



Mobile Sludge/Vacuum Truck
820D



Box Truck
820



Garbage Truck
820 Series



Weld Truck
820 Series



Low Dump
820 Series


Tow Tractors & Airline Ground Support Equipment



Tugger
T336/T348



Tugger
T436/T448



Baggage Tow Tractor
910-ETT



Tow Tractor
920-ETT



Lavatory - 48 Volt
898A



Maintenance Cart
48 Volt System

SPECIFICATIONS

Model	P120	P220	P240	T-336	T-348	T-436	T-448	SC-324	720 A	720 B	720 C	720 D	
Voltage	12	24	24	36	48	36	48	24	36-48	36-48	36-48	36-48	
Load Capacity (lb)	350	750	750	1000	1000	1000	1000	1200	2400	3000	4000	5000	
Towing Capacity	no	500	500	7500-12,000	7500-12,000	7500-12,000	7500-12,000	2000	1500-3000	3000-12,000	12,000-15,000	15000+	
Speed Maximum (mph)*	8.5	10	10	7	7	7	7	8	8-15	6-12	6-10.5	6-9	
Cargo Deck (in)	12 x 12	29 x 20	29 x 20	36 x 24	36 x 24	36 x 24	36 x 24	29 x 47	45 x 62				
Overall Dimension (WxL)	29 x 52	29 x 80	29 x 80	36 x 81	36 x 81	36 x 81	36 x 81	30 x 76	45 x 107				
Turning Radius (in)	38	73	73	62	62	86	86	62	108				
Batteries	6 volt				8 volt		6 volt	8 volt	6 volt				
Motor (hp)	1.7	7	7	10	10	10	10	7	7	10	10	10	
Transmission	chain	direct	direct	auto diff	auto diff	auto diff	auto diff	direct	direct	auto	auto	auto	
Speed Control	resistance				solid state								
Tires	4.80 x 8						front dual wheel		5.70 x 8				
Brakes	rear drum			10" rear disc				rear drum	rear drum	10" rear disc			
Suspension	frame	shocks	shocks	leaf				4 leaf	4 leaf	6 leaf	7 leaf		

Model	820 A	820 B	820 C	820 D	920 E	910-ETT	920-ETT	Utility Cart	Maint Cart	Lav Cart	800 Tram	1200 Tram	
Voltage	36-48	36-48	36-48	36-48	72	72	72	36-48	36-48	48	36	72	
Load Capacity (lb)	2400	3000	4000	5000	3000	3000	3000	2400	2400	3000	2400	3000	
Towing Capacity	1500-3000	3000-12,000	12,000-15,000	15000+	12-18,000	18-25,000	18-25,000	1500	1500	1500	1500	3000	
Speed Maximum (mph)*	8-15	6-12	6-10.5	6.9	8-15	8-15	8-15	8-15	8-15	8-15	8-15	8-15	
Cargo Deck (in)	45 x 76				50 x 80	50 x 63	50 x 80	45 x 98	45 x 76	45 x 98	optional	optional	
Overall Dimension (WxL)	45 x 120				50 x 130	50 x 108	50 x 130	45 X 140	45 x 120	45 x 140	45 x 130	50 X 140	
Turning Radius (in)	108				125			108					
Batteries	6 volt												
Motor (hp)	7	10	10	10	27	27	27	7	7	7	7	27	
Transmission	direct	automotive differentials						direct drive					auto
Speed Control	solid state												
Tires	5.70 x 8				20.5 x 10	500 x 8 front, 600 x 9 rear		5.70 x 8				20.5 x 10	
Brakes	rear drum	10" rear disc					rear drum	rear drum	rear drum	rear drum	10" disc		
Suspension	4 leaf	4 leaf	6 leaf	7 leaf	7 leaf	7 leaf	7 leaf	4 leaf	4 leaf	6 leaf	4 leaf	7 leaf	

Model	Lube Truck	Sludge Vac Truck	Low Dump	High Dump	620 A
Voltage	48	48	36	36	36
Load Capacity (lb)	5000	5000	2400	2400	2400
Towing Capacity	3000	3000	1500	1500	1500
Speed Maximum (mph)*	6-9	6-9	8-15	8-15	8-15
Cargo Deck (in)	45 x 76	45 x 76	1000 lbs	1000 lbs	45 x 53
Overall Dimension (WxL)	45 x 120	45 x 120	45 x 120	45 x 120	45 x 98
Turning Radius (in)	108				
Batteries	6 volt				
Motor (hp)	10	10	7	7	7
Transmission	auto	auto	direct	direct	direct
Speed Control	solid state				
Tires	traction	traction	5.70 x 8		
Brakes	4-wheel disc	4-wheel disc	drum rear	disc front	rear drum
Suspension	7 leaf	7 leaf	4 leaf	4 leaf	4 leaf

Standard Equipment On All Flatbed Trucks

- 14 Guage Diamond Plate Body
- BDI
- Horn
- Dual Recessed Headlights & Tail/Brakelights
- Front & Rear Bumpers
- Hip Restraints
- Bulkhead
- DC/DC Converter for Equal Battery Usage
- Solid State Speed Controller
- Electronic Forward/Reverse Switch
- Wood Decks

Options

- Hour Meter
- 48 & 72 Volt Systems
- Fold-Away Seats
- 4-Wheel Brakes
- Vacuum Assist Power Brakes
- 1/2 Speed Reverse
- Back-up Alarm
- Seat Switch
- Strobe Light
- Side Rails
- Push/Pull Battery Box
- Diamond Plate Deck
- Lift Out Battery Boxes
- Steel Cabs
- Fiberglass Canopy
- Fire Truck
- Welding Trucks
- Hazardous Material Clean-up
- Box Enclosures
- Lube Truck
- Sludge/Vacuum Truck
- AC/Charger Interlock
- Ambulance
- Dump Trucks
- *All Speeds Are Variable

Our vehicles conform to requirements for
Type E as stated in O.S.H.A. Standard Section 1919.178 (Powered Industrial Trucks).
ANSI B56.8, ANSI B56.9 UL583

Distributed By



Electric Vehicles, Inc.
4007 Engleton Drive
Fort Wayne, IN 46804
Phone 260-459-3134
Fax 260-434-0026
Web evivehicles.com